

消防・避難分野に関する ISO 7010 図記号による状況について
(2021 年 2 月)

ISO/TC145/SC2 国内委員会 主査 石井達雄

1. 2021 年 2 月現在で審議中・未登録の ISO 7010 図記号（カテゴリ F***・E***のみ）
（最終版ではなく変更の可能性のあるものも含む）

	F018 「Fire alarm flashing light」 （発光式火災報知機/光警報器） 2020 年 12 月 25 日～2021 年 3 月 19 日で DIS 投票段階にある。 ISO/TC 21/SC 3「火災検知・警報システム」から提案されていた、 Visual alarm devices/視覚警報装置(右図)と CD 原案を比較 検討（2019 年 11 月デルフトでの会議）した結果、右の案ではなく CD 案を基にして、細部を現実の形状に寄せて調整することで合意。 
	F019 「Unconnected fire hose」(接続されていないホース) F002「Fire hose reel」(右図)とは別の定義として区別される。 CD 案に対して日本が提出した Variant が受け入れられ、 次の段階へ進められた。 
	E065 「Outdoor refuge area」 （屋外避難場所） 作成中の ISO 22578 Natural disaster safety way evacuation guidance system で用いるために日本が提案中の図記号であり、 JIS Z8210-6.1.4「広域避難場所」および JIS Z9098「避難場所」に 関係がある。白地に緑で描かれた JIS 版の図記号は ISO 3864-3 の規定に反するためそのまま採用する事ができず、少なくとも「緑 地に白」にする必要がある。（最終決定版ではない） JIS Z8120-6.1.4 
	E067 「Evacuation mattress」 （避難用マットレス） CD 案に対して日本が提出した Variant が受け入れられ、次の段階へ進められた。
	E068 「Lifebuoy with light and smoke」 （自己点火灯及び自己発煙信号付き救命浮環） 他の船舶関係の安全図記号と同じく、IMO（国際海事機関）の Safety sign にはこれと ほぼ同じ図記号が既に登録されている。 CD 案に対して日本が提出した Variant が受け入れられ、次の段階へ進められた。
	E069 「Person overboard call point」 （船外転落者の通報器） CD 案に対して、日本からはコメントや Variant の提出は行っていない。

2. 消防・消火設備用 (Fire equipment) カテゴリに登録されているISO 7010 図記号

ISO 7010 図記号の赤地に白のシンボルは全て消防用設備に関するものを表わし、また、これらには ISO 3864 の規定に基づいて炎の形状が付記されます。

消火活動以外の避難設備や経路などはこのカテゴリに含みません。(E***のカテゴリになります)

これらのうち、JIS Z8210 で図記号化されている対象は 2021 年 2 月現在では「消火器」のみです。

				
F001	F002	F003	F004	F005
				
F006	F007	F008	F009	F010
				
F011	F012	F013	F014	F015
				
F016	F017			

	Reference No : F001 Registration date : 2011-05-01 Title/Meaning/Referent : Fire extinguisher Function/description : To indicate the location of a fire extinguisher Image content : Fire extinguisher (profile) with label, flame determinant
●消火器	

	Reference No : F002 Registration date : 2011-05-01 Title/Meaning/Referent : Fire hose reel Function/description : To indicate the location of a fire hose reel Image content : Seven vertical lines, one with a trapezoid underneath, circle with cross and line attached to vertical bar, flame determinant
●消防用ホース	

	Reference No : F003 Registration date : 2011-05-01 Title/Meaning/Referent : Fire ladder Function/description : To indicate the location of a ladder that is to be used exclusively for firefighting Image content : Two converging vertical lines, six horizontal lines joining the vertical lines, flame determinant
●消防専用はしご (消火活動専用のはしごの位置を示す。避難用のはしごは E059 を参照のこと)	

	Reference No : F004 Registration date : 2011-05-01 Title/Meaning/Referent : Collection of firefighting equipment Function/description : To indicate the location of firefighting equipment Image content : Fire helmet (profile), flame determinant
●消防用装備 (消火活動用の諸々の装備など)	

	Reference No : F005 Registration date : 2011-05-01 Title/Meaning/Referent : Fire alarm call point Function/description : To indicate the location of a fire alarm call point Image content : Hand (plan view) with one finger extended, dot in square (outlined) broken at bottom, flame determinant
●火災警報/報知器	

	Reference No : F006 Registration date : 2011-05-01 Title/Meaning/Referent : Fire emergency telephone Function/description : To indicate the location of a fire emergency telephone. Image content : Telephone receiver(profile), flame determinant
●火災非常電話	

	Reference No : F007 Registration date : 2017-12-11 Title/Meaning/Referent : Fire protection door Function/description : To indicate the location of a fire protection door Image content : Door at angle, curved arrow, flame determinant
●防火扉	

	Reference No : F008 Registration date : 2013-11-30 Title/Meaning/Referent : Fixed fire extinguishing battery Function/description : To indicate the location of a fixed fire extinguishing battery Image content : Four bottles attached to a manifold, flame determinant
●固定式消火装置貯蔵設備	

	Reference No : F009 Registration date : 2013-11-30 Title/Meaning/Referent : Wheeled fire extinguisher Function/description : To indicate the location of a wheeled fire extinguisher Image content : Bottle on wheeled cart (profile), flame determinant
●車輪付き(移動式)消火器	

	Reference No : F010 Registration date : 2013-11-30 Title/Meaning/Referent : Portable foam applicator unit Function/description : To indicate the location of a portable foam applicator unit Image content : Foam can with goose neck hose terminating with a venturi nozzle, flame determinant
●可搬式泡放射器	

	Reference No : F011 Registration date : 2013-11-30 Title/Meaning/Referent : Water fog applicator Function/description : To indicate the location of a water fog applicator Image content : 90° bend terminating in a nozzle with five non-parallel segmented lines, flame determinant
●水噴霧放射器	

	Reference No : F012 Registration date : 2013-11-30 Title/Meaning/Referent : Fixed fire extinguishing installation Function/description : To indicate the location of a fixed fire extinguishing installation Image content : Tank (profile) supported on a frame at two points, flame determinant
●固定式消火装置	

	Reference No : F013 Registration date : 2013-11-30 Title/Meaning/Referent : Fixed fire extinguishing bottle Function/description : To indicate the location of a fixed fire extinguishing bottle Image content : Bottle (head-on view) supported on its side on a frame at two points, flame determinant
●固定式消防装置容器	

	Reference No : F014 Registration date : 2013-11-30 Title/Meaning/Referent : Remote release station Function/description : To indicate the location of a remote release station Image content : Bottle with a knob handle on top, flame determinant
●消防装置遠隔操作	

	Reference No : F015 Registration date : 2013-11-30 Title/Meaning/Referent : Fire monitor Function/description : To indicate the location of a fire monitor Image content : Fire monitor (profile), flame determinant
●放水銃	

	Reference No : F016 Registration date : 2014-12-14 Title/Meaning/Referent : Fire blanket Function/description : To indicate the location of a fire blanket Image content : Human figure holding a fire blanket, flame determinant
●防火用毛布	








	Reference No : F017 Registration date : 2020-11-18 Title/Meaning/Referent : Firefighters' lift Function/description : To indicate the location of a firefighters' lift and associated switch Image content : Outline of lift, human head (left-hand profile, outlined) wearing fire helmet, flame determinant
●消防隊エレベーター	










●避難と安全設備カテゴリ (Evacuation route, location of safety equipment or safety facility, safety action)

緑地に白で示される Safety sign のカテゴリは避難経路や安全用の設備などに関するものであり、消火活動ではない緊急用設備、緊急停止ボタンなどもここに含まれます。また幾つかは IMO(国際海事海事機関)の定める図記号など、海上・船舶用で用いられるものが少なからぬ割合を占めています。(下図青文字のもの)

一部の図記号(E003・E062・E063)は JISZ821 でも同一であり、また、一部は JIS とは色などが違います。

(E010:AED)

					
E001	E002	E003	E004	E007	E008
					
E009	E010	E011	E012	E013	E014
					
E015	E016	E017	E018	E019	E020
					
E021	E022	E023	E024	E025	E026
					
E027	E028	E029	E030	E031	E032
					
E033	E034	E035	E036	E037	E038

					
E039	E040	E041	E042	E043	E044
					
E045	E046	E047	E048	E049	E050
					
E051	E052	E053	E054	E055	E056
					
E057	E058	E059	E060	E061	E062
					
E063	E064				

	Reference No : E001 Registration date : 2011-05-01 Title/Meaning/Referent : Emergency exit (left hand) Function/description : To indicate an escape route to a place of safety Image content : Human figure moving (to the left) through doorway
---	--

●非常出口（左側）

消防法に定める避難口の図記号との違いは下部にも緑色の領域がある（切れていない）点です。

	Reference No : E002 Registration date : 2011-05-01 Title/Meaning/Referent : Emergency exit (right hand) Function/description : To indicate an escape route to a place of safety Image content : Human figure moving (to the right) through doorway
---	--

●非常出口（右側）

消防法に定める避難口の図記号との違いは下部にも緑色の領域がある（切れていない）点です。

	Reference No : E003 Registration date : 2011-05-01 Title/Meaning/Referent : First aid Function/description : To indicate the location of first aid equipment or facilities or staff Image content : First aid cross
---	---

●救護所 【JIS Z8210 に登録あり】

	Reference No : E004 Registration date : 2011-05-01 Title/Meaning/Referent : Emergency telephone Function/description : To indicate the location of an emergency telephone Image content : Telephone receiver (profile), first aid cross
---	---

●非常電話

(火災用の緊急電話は F006 として別に定義されている)

	Reference No : E007 Registration date : 2011-05-01 Title/Meaning/Referent : Evacuation assembly point Function/description : To indicate the location of a safe assembly point following evacuation Image content : Two human figures and a head of a third figure in a group, four arrows coming from the corners pointing to them
---	---

●避難集合場所

	Reference No : E008 Registration date : 2011-05-01 Title/Meaning/Referent : Break to obtain access Function/description : To indicate a cover which requires breaking to obtain access to an emergency exit device Image content : Human fist and lower arm (outlined) holding a bar, uneven star shape
---	---

●割ってアクセス

	Reference No : E009 Registration date : 2011-05-01 Title/Meaning/Referent : Doctor Function/description : To indicate the location of a doctor for emergencies Image content : Upper human figure with stethoscope, first aid cross
---	---

●医師

	Reference No : E010 Registration date : 2011-05-01 Title/Meaning/Referent : Automated external heart defibrillator Function/description : To indicate the location of an automated external heart defibrillator Image content : Heart with lightning bolt in the middle, first aid cross
---	--


●AED

※JIS Z8210 には色違い(赤)で登録がある。



	Reference No : E011 Registration date : 2011-05-01 Title/Meaning/Referent : Eyewash station Function/description : To indicate the location of an eyewash station Image content : Eye above running water coming out of a shower head, first aid cross
--	--

●洗眼器

	Reference No : E012 Registration date : 2011-05-01 Title/Meaning/Referent : Safety shower Function/description : To indicate the location of a safety shower Image content : Human figure under running water coming out of a shower head, first aid cross
---	--

●緊急シャワー

	Reference No : E013 Registration date : 2011-05-01 Title/Meaning/Referent : Stretcher Function/description : To indicate the location of a stretcher Image content : Human figure on a stretcher, first aid cross
---	---

●担架

	Reference No : E014 Registration date : 2012-06-14 Title/Meaning/Referent : Child seat presence and orientation detection system (CPOD) Function/description : To indicate that a CPOD-equipped child seat can safely be used on a CPOD-equipped passenger seat protected by a frontal airbag Image content : Vehicle passenger seat, child in rear-facing child seat, dot, three curved lines of increasing size radiating from the dot, filled semi-circle
●チャイルドシートの有無と向きの検出システム (CPOD)	

	Reference No : E015 Registration date : 2012-06-14 Title/Meaning/Referent : Drinking water Function/description : To indicate the location of drinking water Image content : Tap above glass, two wavy lines
●飲料水 Safety sign 以外の位置づけによる「飲料水」の図記号は、ISO 7001 および JIS Z8210 に案内用図記号として、白地に黒のものが登録されている。	

	Reference No : E016 Registration date : 2011-05-01 Title/Meaning/Referent : Emergency window with escape ladder Function/description : To indicate the location of an emergency window for escape with a permanently fixed escape ladder Image content : Human figure, window and a ladder on the left
●避難はしご付き脱出窓	

	Reference No : E017 Registration date : 2011-05-01 Title/Meaning/Referent : Rescue window Function/description : To indicate the location of a rescue window where people can be rescued by a ladder by intervention forces Image content : Human figure, window, firefighting vehicle with ladder
●救助用窓	

	Reference No : E018 Registration date : 2011-05-01 Title/Meaning/Referent : Turn anticlockwise to open Function/description : To signify that the doorknob of a security door on an escape route must be turned in an anticlockwise direction in order for the opening device to operate Image content : Doorknob with semicircular anticlockwise arrow
●反時計まわりに回して開く	

	Reference No : E019 Registration date : 2011-05-01 Title/Meaning/Referent : Turn clockwise to open Function/description : To signify that the doorknob of a security door on an escape route must be turned in a clockwise direction in order for the opening device to operate Image content : Doorknob with semicircular clockwise arrow
●時計まわりに回して開く	

	Reference No : E020 Registration date : 2012-06-14 Title/Meaning/Referent : Emergency stop button Function/description : To indicate the location of an emergency stop button Image content : Hand over button shape, two lines
●非常停止ボタン	

	Reference No : E021 Registration date : 2017-12-11 Title/Meaning/Referent : Protection shelter Function/description : To indicate the location of a protection shelter Image content : Four human figures within an irregular hexagon, line and shield
●保護シェルター Protection shelter は策定中の ISO 22578 では避難場所のひとつ(屋内)として位置づけられており, JIS Z8210-6.1.5 「避難所(建物)」とは同じ定義ではない。(およそ, 屋内の一時的な避難場所と解釈されている)	

	Reference No : E022 Registration date : 2012-06-14 Title/Meaning/Referent : Door opens by pushing on the left-hand side Function/description : To indicate that the door opens by pushing on the left hand side Image content : Doorway with door opening outwards, curved arrow pointing to the left
●左側を押すと開く	

	Reference No : E023 Registration date : 2012-06-14 Title/Meaning/Referent : Door opens by pushing on the right-hand side Function/description : To indicate that the door opens by pushing on the right hand side Image content : Doorway with door opening outwards, curved arrow pointing to the right
●右側を押すと開く	

	Reference No : E024 Registration date : 2013-11-30 Title/Meaning/Referent : Evacuation temporary refuge Function/description : To indicate the location of a temporary safe area (refuge) to await rescue assistance, provided for those unable to use stairs in the event of an emergency evacuation Image content : Human figure in wheelchair (profile), four white arrows coming from the corners pointing to it
●(階段を使用できない人の)避難用一時退避場所 東京消防庁で策定された「高層建築物等における歩行困難者等に係る避難安全対策」では、これと同じ構図の「一時避難エリア」の標識が定義されている。 	

	Reference No : E025 Registration date : 2016-10-15 Title/Meaning/Referent : Emergency hammer Function/description : To indicate the location of an emergency hammer Image content : Emergency hammer with glass cracked around the point of the hammer
●緊急脱出用ハンマー	

	Reference No : E026 Registration date : 2018-12-07 Title/Meaning/Referent : Emergency exit for people unable to walk or with walking impairment (left) Function/description : To indicate an escape route to a place of safety usable by people unable to walk or with walking impairment Image content : Human figure in wheelchair (right-hand profile), which drives through a door frame (right)
●歩行困難・歩行障害がある人のための非常出口(左向き)	

	Reference No : E027 Registration date : 2013-11-30 Title/Meaning/Referent : Medical grab bag Function/description : To indicate the location of a medical grab bag Image content : Bag (outlined) with handles, first aid cross
●医療用バッグ	

	Reference No : E028 Registration date : 2013-11-30 Title/Meaning/Referent : Oxygen resuscitator Function/description : To indicate the location of an oxygen resuscitator Image content : Oxygen cylinder with manual control, hose line and mask, first aid cross
●酸素吸入器	

	Reference No : E029 Registration date : 2013-11-30 Title/Meaning/Referent : Emergency escape breathing device Function/description : To indicate the location of an emergency escape breathing device (EEBD) Image content : Full-face mask with regulator (front view), first aid cross
●緊急脱出用呼吸具	

	Reference No : E030 Registration date : 2018-12-07 Title/Meaning/Referent : Emergency exit for people unable to walk or with walking impairment (right) Function/description : To indicate an escape route to a place of safety usable by people unable to walk or with walking impairment Image content : Human figure in wheelchair (right-hand profile), which drives through a door frame (right)
●歩行困難・歩行障害がある人のための非常出口(右向き)	

	Reference No : E031 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Shipboard general alarm Function/description : To indicate the location of a general alarm button on board ship Image content : Circle in a square (outlined)
●船上一般警報	

	Reference No : E032 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Shipboard assembly station Function/description : To indicate the location of an assembly station on board ship Image content : Five human figures in different sizes standing on a square, four arrows coming from the corners pointing to them
●船上集合場所	

	Reference No : E033 Registration date : 2013-11-30 Title/Meaning/Referent : Door slides right to open Function/description : To indicate the direction in which a sliding door opens Image content : Rectangle bordered top and bottom, arrow pointing to the right
●右スライドで開く	

	Reference No : E034 Registration date : 2013-11-30 Title/Meaning/Referent : Door slides left to open Function/description : To indicate the direction in which a sliding door opens Image content : Rectangle bordered top and bottom, arrow pointing to the left
●左スライドで開く	

	Reference No : E035 【海・船舶】 Registration date : 2014-02-14 Title/Meaning/Referent : Liferaft knife Function/description : To indicate the location of a liferaft knife Image content : Liferaft knife (with rounded tip and drilled-out holes in blade) between sliced braided rope
●救命いかだナイフ	

	Reference No : E036 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Lifeboat Function/description : To indicate the location of a lifeboat Image content : Lifeboat, two wavy lines
●救命ボート	

	Reference No : E037 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Rescue boat Function/description : To indicate the location of a rescue boat Image content : Boat, two upper human figures, one of them outlined, two wavy lines
●救助活動ボート	

	Reference No : E038 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Liferaft Function/description : To indicate the location of a liferaft Image content : Liferaft, two wavy lines
●救命いかだ	

	Reference No : E039 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Davit-launched liferaft Function/description : To indicate the location of a davit-launched liferaft Image content : Liferaft suspended from single point davit
●ダビット進水用救命いかだ	

	Reference No : E040 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Lifebuoy Function/description : To indicate the location of a lifebuoy Image content : Ring buoy with four becketed lines
●救命浮環	

	Reference No : E041 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Lifebuoy with line Function/description : To indicate the location of a lifebuoy with line Image content : Ring buoy with four becketed lines and attached segmented line
● 索付き救命浮環	

	Reference No : E042 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Lifebuoy with light Function/description : To indicate the location of a lifebuoy with light Image content : Ring buoy with four becketed lines and attached light
● 自己点火灯付き救命浮環	

	Reference No : E043 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Lifebuoy with line and light Function/description : To indicate the location of a lifebuoy with line and light Image content : Ring buoy with four becketed lines and attached segmented line and light
● 自己点火灯及び索付き救命浮環	

	Reference No : E044 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Lifejacket Function/description : To indicate the location of a lifejacket Image content : Lifejacket
● 救命胴衣	

	Reference No : E045 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Child's lifejacket Function/description : To indicate the location of a child's lifejacket Image content : Lifejacket with walking child on one lobe
●子供用救命胴衣	

	Reference No : E046 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Infant's lifejacket Function/description : To indicate the location of an infant's lifejacket Image content : Lifejacket with infant in diaper on one lobe
●乳幼児用救命胴衣	

	Reference No : E047 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Search and rescue transponder Function/description : To indicate the location of a search and rescue transponder (SART) Image content : Transponder with arrow pointing towards antenna and a arrow pointing away
●レーダトランスポンダ (SART)	

	Reference No : E048 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Survival craft distress signal Function/description : To indicate the location of a survival craft distress signal Image content : Bursting star at the end of a curved path of diminishing width
●サバイバルクラフト遭難信号	

	Reference No : E049 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Rocket parachute flare Function/description : To indicate the location of a rocket parachute flare Image content : Bursting star suspended from a parachute
●落下傘付き信号	

	Reference No : E050 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Line-throwing appliance Function/description : To indicate the location of a line-throwing appliance Image content : Barrel-mounted rocket with attached segmented line
●救命索発射器	

	Reference No : E051 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Two-way VHF radiotelephone apparatus Function/description : To indicate the location of a two-way VHF radiotelephone apparatus Image content : Hand holding radiotelephone with three-prong antenna, three curved lines on each side
●生存艇用持ち運び式無線電話	

	Reference No : E052 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Emergency position indicating radio beacon Function/description : To indicate the location of an emergency position indicating radio beacon (EPIRB) Image content : Radio beacon with three-prong antenna, three curved lines on each side
●非常用位置指示無線標識(EPIRB)	

	Reference No : E053 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Embarkation ladder Function/description : To indicate the location of an embarkation ladder Image content : Ladder (six horizontal lines between two parallel vertical lines), two wavy lines
●乗艇用はしご	

	Reference No : E054 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Marine evacuation slide Function/description : To indicate the location of a marine evacuation slide Image content : Slide terminating in open raft, two wavy lines
●海上退船システム — MES (滑り台式)	

	Reference No : E055 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Marine evacuation chute Function/description : To indicate the location of a marine evacuation chute Image content : Chute, liferaft, two wavy lines
●海上退船システム — MES (垂直落下式)	

	Reference No : E056 【海・船舶】 Registration date : 2013-11-30 Title/Meaning/Referent : Survival clothing Function/description : To indicate the location of survival clothing Image content : Standing full body survival suit with hood
●救命被服	

	Reference No : E057 Registration date : 2013-11-30 Title/Meaning/Referent : Door opens by pulling on the left-hand side Function/description : To indicate that the door opens by pulling on the left-hand side Image content : Doorway with door opening inwards, curved arrow pointing to the right
●左側を引くと開く	

	Reference No : E058 Registration date : 2013-11-30 Title/Meaning/Referent : Door opens by pulling on the right-hand side Function/description : To indicate that the door opens by pulling on the right-hand side Image content : Doorway with door opening inwards, curved arrow pointing to the left
●右側を引くと開く	

	Reference No : E059 Registration date : 2014-02-14 Title/Meaning/Referent : Escape ladder Function/description : To indicate the location of a permanently fixed escape ladder Image content : Ladder (six horizontal lines between two parallel vertical lines)
●脱出はしご	

	Reference No : E060 Registration date : 2014-02-14 Title/Meaning/Referent : Evacuation chair Function/description : To indicate the location of an evacuation chair Image content : Human figure sitting in an evacuation chair, human figure handling the evacuation chair, staircase (all right-hand profile)
●避難用チェア(階段用車椅子) 東京消防庁策定による「高層建築物等における歩行困難者等に係る避難安全対策」においても、一時避難エリアには階段用車椅子を各階1台以上配置することが望ましいと言及されている。	

	Reference No : E061 Registration date : 2019-07-30 Title/Meaning/Referent : Water life-saving equipment Function/description : To indicate the location of water life-saving equipment Image content : Lifebelt ring with rope
●水難救助用装備	

	Reference No : E062 Registration date : 2019-07-30 Title/Meaning/Referent : Tsunami evacuation area Function/description : To indicate the location of a safe place/uphill area for evacuation to in the event of a tsunami Image content : Human figure (moving to the right) between a slope of land mass and a tsunami wave
●津波避難場所 【JIS Z8210 に登録あり】	

	Reference No : E063 Registration date : 2019-07-30 Title/Meaning/Referent : Tsunami evacuation building Function/description : To indicate the location of a safe building for evacuation in the event of a tsunami Image content : Human figure between a building and a tsunami wave
● 津波避難ビル 【JIS Z8210 に登録あり】	

	Reference No : E064 Registration date : 2020-11-18 Title/Meaning/Referent : First aid responder Function/description : To indicate a person trained in first aid Image content : Upper human figure with arm band at right arm, first aid cross
●ファーストレスポnder/救急対応者	